

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	47	jung ta chang.in. or ping-chang liu. in. or gordon yu.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/02 15:29
S2	108	(memory or flash) with (card or stick or chip) same sd same ms with (interface or protocol or characteristic or feature or compatible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/02 15:33
S3	4	S1 and (memory or flash) with (card or stick or chip) same sd same ms with (interface or protocol or characteristic or feature or compatible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 15:34
S4	108	(memory or flash) with (card or stick or chip) same sd same ms with (interface or protocol or characteristic or feature or compatible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 16:41
S5	0	(memory or flash) with (card or stick or chip) same sd same ms with reader with resistor with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 16:44
S6	1	(memory or flash) with (card or stick or chip) same sd same ms with resistor with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/02 16:47
S8	3	(memory or flash) with (card or stick or chip) same sd same ms same resistor same voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 11:40
S9	1097	365/202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 11:41

EAST Search History

S10	3	S9 and ((memory or chip or ic) adj5 (card\$1)) near40 (different or unique or separate) near40 (protocol or interface or standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 11:48
S11	1085	((memory or chip or ic) adj5 (card\$1)) near40 (different or unique or separate) near40 (protocol or interface or standard)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 11:49
S12	143	S11 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:06
S13	110	S11 and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 12:00
S14	301	S11 and voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 12:00
S15	92	S14 and resistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:05
S16	82	S15 and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:24
S17	2	S16 and "235"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:09

EAST Search History

S18	33	S16 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:27
S19	29	S15 and (second near3 buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:30
S20	13	S19 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:27
S21	90	S15 and (buffer or fifo or storage or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:30
S22	82	S16 and (buffer or fifo or storage or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:45
S23	68	S16 and (buffer or fifo or storage or memory) with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 13:46